

Translation of JP62-56357U (Japanese Utility Model Laid-open
Publication 62-56357)

Publication date: April 8, 1987

Claims:

- (1) A seat belt cover comprising:
a pocket for holding an article therein, at the lower end of the
main body of said seat belt cover and
a winding stopper for preventing the seat belt from being wound,
at the upper end of said main body.
- (2) The seat belt cover of claim 1, wherein said main body is
made of fabric with cushioning properties, such as toweling.

Brief Description of the Drawings

The drawings show an embodiment of the present device. Fig. 1 is a perspective view of the seat belt cover according to the present device. Fig. 2 is a perspective view of the seat belt cover when installed on a seat belt. Fig. 3 is a perspective view showing how the main body of the seat belt cover is installed. Fig. 4 is a sectional view showing that the winding stopper can fit into the seat belt slot.

A: main body of the seat belt cover; a: front side; b: back side;
1: fabric member; 2a, 2b, 3a, 3b, 4a, 4b: flat fastener; 5: pocket; 6:
slot; 7: winding stopper; 8: seat belt.

⑫ 公開実用新案公報 (U)

昭62-56357

⑥ Int. Cl.⁴
B 60 R 22/12

識別記号 庁内整理番号
8510-3D

⑬ 公開 昭和62年(1987)4月8日

審査請求 未請求 (全2頁)

⑭ 考案の名称 シートベルト用カバー

⑰ 実 願 昭60-147929

⑱ 出 願 昭60(1985)9月30日

⑲ 考 案 者 杉 本 ヒ サ ヘ 東京都新宿区西新宿4-41-10-803

⑳ 出 願 人 杉 本 ヒ サ ヘ 東京都新宿区西新宿4-41-10-803

㉑ 代 理 人 弁理士 佐々木 功

㉒ 実用新案登録請求の範囲

- (1) シートベルトを包み込むカバー本体の下端に物品を収納するためのポケット部を、上端にシートベルトの巻戻しを規制するための巻込防止具をそれぞれ備えたことを特徴とするシートベルト用カバー。
- (2) 上記カバー本体はタオル地等のクッション性を有する生地からなることを特徴とする実用新案登録請求の範囲第1項記載のシートベルト用カバー。


図面の簡単な説明

図面は本考案の実施の一例を示すものであり、


第1図は本考案に係るシートベルト用カバー本体の斜視図、第2図はシートベルトに装着した状態の斜視図、第3図はカバー本体の取付状態を示す斜視図、第4図はベルト引出口に巻込防止具を嵌合した状態を示す断面図である。

A……カバー本体、a……表面、b……裏面、1……布体、2a, 2b, 3a, 3b, 4a, 4b……平面ファスナー、5……ポケット部、6……引出口、7……巻込防止具、8……シートベルト。


第1図



第2図



第 3 図



第 4 図

